

The Noxious Weeds Designation Regulations

Repealed

by [Saskatchewan Regulations 110/2010](#)
(effective December 1, 2010)

being

Chapter N-9.1 Reg 2 (effective April 28, 1987) as amended by
Saskatchewan Regulations 14/1999.

NOTE:

This consolidation is not official. Amendments have been incorporated for convenience of reference and the original statutes and regulations should be consulted for all purposes of interpretation and application of the law. In order to preserve the integrity of the original statutes and regulations, errors that may have appeared are reproduced in this consolidation.

Table of Contents

- 1 Title
 - 2 Interpretation
 - 3 Designation
- Appendix**

CHAPTER N-9.1 REG 2
The Noxious Weeds Act, 1984

Title

- 1** These regulations may be cited as *The Noxious Weeds Designation Regulations*.

Interpretation

- 2** In these regulations, “**Act**” means *The Noxious Weeds Act, 1984*.

8 May 87 cN-9.1 Reg 2 s2.

Designation

- 3** For the purposes of clause 2(g) of the Act, the plants listed in the Appendix are designated as noxious weeds.

19 Mar 99 SR 14/1999 s3.

Appendix

[Section 3]

Noxious Weeds

Common Name	Botanical Name
barberry, common	<i>Berberis vulgaris</i> L.
bindweed, field	<i>Convolvulus arvensis</i> L.
bluebur	<i>Lappula echinata</i> Gilib.
buckwheat, wild	<i>Polygonum convolvulus</i> L.
buckwheat, tartary	<i>Fagopyrum tataricum</i> (L.) J. Gaertn.
brome, downy	<i>Bromus tectorum</i> L.
brome, Japanese	<i>Bromus japonicus</i> Thunb.
campion, bladder	<i>Silene vulgaris</i> (Moench) Garcke
catchfly, night-flowering	<i>Silene noctiflora</i> L.
chamomile, scentless	<i>Matricaria perforata</i> Mérat (= <i>Matricaria maritima</i> L.)
cleavers	<i>Galium aparine</i> L.
cockle, cow	<i>Saponaria vaccaria</i> L. (= <i>Vaccaria pyramidata</i> Medick)
cockle, white	<i>Silene alba</i> (Mill.) E.H. L. Krause
cockle, purple	<i>Agrostemma githago</i> L.
dandelion	<i>Taraxacum officinale</i> Weber
darnel, Persian	<i>Lolium persicum</i> Boiss. & Hohen.
false flax, small-seeded	<i>Camelina microcarpa</i> Andrz.
foxtail, green	<i>Setaria viridis</i> (L.) Beauv.
grass, quack	<i>Elytrigia repens</i> (L.) Neuski (= <i>Agropyron repens</i> L.)
hoary cress, heart-podded	<i>Cardaria draba</i> (L.) Desv.
knapweed, spotted	<i>Centaurea maculosa</i> Lam. (= <i>Centaurea biebersteinii</i> DC)
knapweed, diffuse	<i>Centaurea diffusa</i> Lam.
knapweed, Russian	<i>Centaurea repens</i> L.
loosestrife, purple	<i>Lythrum salicaria</i> L.
mallow, round-leaved	<i>Malva rotundifolia</i> L. (= <i>Malva pusilla</i> Sm.)
mustard, hare's-ear	<i>Conringia orientalis</i> (L.) Dumort.
mustard, ball	<i>Neslia paniculata</i> (L.) Desv.
mustard, tumble	<i>Sisymbrium altissimum</i> L.
mustard, wild	<i>Sinapis arvensis</i> L. (= <i>Brassica kaber</i> DC)
oat, wild	<i>Avena fatua</i> L.
povertyweed	<i>Iva axillaris</i> Pursh
ragweed, common	<i>Ambrosia artemisiifolia</i> L.
rape, bird	<i>Brassica rapa</i> L. (= <i>Brassica campestris</i> L.)
sow-thistle, annual	<i>Sonchus oleraceus</i> L.
sow-thistle, perennial	<i>Sonchus arvensis</i> L.
spurge, leafy	<i>Euphorbia esula</i> L.
stinkweed	<i>Thlaspi arvense</i> L.
thistle, nodding	<i>Carduus nutans</i> L.
thistle, Russian	<i>Salsola kali</i> L. (= <i>Salsola pestifer</i> A. Nels.)
thistle, Canada	<i>Cirsium arvense</i> (L.) Scop.
toadflax, yellow	<i>Linaria vulgaris</i> Mill.

Botanical names referred to by (=) are alternatives for the given name.

19 Mar 99 SR 14/1999 s4.