

For the Period September 20 to 26, 2016

Despite the weekend rain, producers were still able to make progress with harvest. Seventy per cent of the 2016 crop is now combined and 22 per cent is swathed or ready to straight-cut, according to Saskatchewan Agriculture's weekly Crop Report. The five-year (2011-2015) average for this time of year is 79 per cent combined.

Regionally, harvest is furthest advanced in the southwest, where producers have 79 per cent of the crop in the bin. Seventy-seven per cent of the crop is combined in the southeast, 61 per cent in the east-central region, 65 per cent in the west-central region and northeastern regions and 64 per cent in the northwest. Some producers in the southern regions have completed harvest.

Ninety-eight per cent of the field peas, 93 per cent of the lentils, 68 per cent of the durum, 67 per cent of the spring wheat, 61 per cent of the canola and 20 per cent of the flax have been combined.

Rain was general throughout the province, with areas in the west-central and northwestern regions receiving lesser amounts than other regions. Most areas reported receiving at least 25 mm of rain or more. The greatest amount of rainfall, 63 mm, was reported in the Moosomin area. The

Harvest Progress in SK Per cent Combined All Crops	
Sept 26/16	70
5 year avg. (2011-2015)	79
Sept 28/15	74
Sept 29/14	68
Sept 23/13	71
Sept 24/12	89
Sept 26/11	91
10 year avg. (2006-2015)	75

Carnduff area received 56 mm, Limerick 38 mm, Webb 30 mm, Foam Lake 51 mm, Bethune 42 mm, Nipawin 33 mm, Biggar 13 mm and Meadow Lake 9 mm.

Provincially, cropland topsoil moisture is rated as 17 per cent surplus, 81 per cent adequate and two per cent short. The recent rain has slowed harvest in some regions, as topsoil was only just starting to dry out enough to support equipment. Areas around Porcupine Plain, Tisdale and Arborfield are reporting that 49 per cent of cropland acres have surplus

One year ago

A dry and sunny week allowed for producers to make good harvest progress over last week with 74 per cent combined. Frost was reported in many areas.

Follow the Crop Report on Twitter @SKAgriculture

Saskatchewan Harvest September 26, 2016 % combined

Winter wheat	100
Fall rye*	100
Spring wheat	67
Durum	68
Oats*	56
Barley**	79
Canaryseed	30
Flax	20
Canola	61
Mustard	71
Soybeans	28
Lentils**	94
Peas	97
Chickpeas	N/A

*includes five per cent 'other'
**includes one per cent 'other'

For further information, contact Daphne Cruise, PAg,
Crop Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3587, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.saskatchewan.ca/crop-report.



moisture at this time. Areas around Canora, Preeceville and Foam Lake are reporting that 36 per cent of cropland acres have surplus moisture at this time. Hay land and pasture topsoil moisture is rated as seven per cent surplus, 87 per cent adequate and six per cent short.

Strong winds have blown around some canola swaths, resulting in shattering losses. Standing water from the recent rain also caused some crop damage this past week. Bleaching, sprouting, fusarium and earth tag are causing grade loss.

Producers are busy harvesting, hauling bales and controlling weeds.

Southeastern Saskatchewan:

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville and Lake Alma areas

Rain off and on throughout the week caused delays in harvest operations. Seventy-seven per cent of the crop has been combined, up from 73 per cent last week. Fourteen per cent is swathed or ready to straight-cut. The five-year average for the region is 80 per cent combined. Crop District 1A has 85 per cent in the bin, 1B 81 per cent, 2A 88 per cent, 2B 66 per cent and 3ASE has 89 per cent of the crop combined.

Rain showers settled in on Wednesday in some areas with the majority of the rain falling on Friday and Saturday. The Moosomin area reported 63 mm, the Carnduff area 56 mm, Grenfell 24 mm, Weyburn 28 mm, Moose Jaw 34 mm and Ceylon 30 mm. Most other areas reported more than 25 mm of rain.

Cropland topsoil moisture is rated as 28 per cent surplus, 68 per cent adequate and four per cent short. Hay land and pasture topsoil moisture is rated as 12 per cent surplus, 82 per cent adequate and six per cent short. Moisture conditions vary greatly across the region. Wet soil was just nicely starting to dry out in many parts of the region, but after the rain, field conditions are once again unfavourable and equipment is moving slowly to avoid getting stuck. Crop districts 1A and 1B are reporting that 28 per cent of cropland acres have surplus moisture, while crop districts 2A and 2B are reporting that 30 and 32 per cent, respectively, of cropland has surplus topsoil moisture.

Crop damage is mainly attributed to weathering caused by disease and too much moisture. Downgrading is due to bleaching, sprouting and fusarium. Strong winds caused some shattering losses in canola. Heavy rain in some areas left crops standing in water. Winter wheat has emerged in some areas and is looking good. Some producers have finished harvest.

Southwestern Saskatchewan:

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Despite rain showers during the week and then heavy rain on the weekend, producers were able to make decent progress in the field. Seventy-nine per cent of the crop is in the bin, up from 66 per cent last week. The five-year average for the region at this time of year is 86 per cent combined. Fourteen per cent of the crop is swathed or ready to straight-cut. Crop District 3ASW reports that 65 per cent of the crop is in the bin, 3AN has 76 per cent combined, 3BS has 75 per cent combined, 3BN 83 per cent, 4A 84 per cent and 4B has 89 per cent combined.

Most areas reported receiving more than 25 mm of rain. The Limerick area reported 38 mm, Mortlach 22 mm, Admiral 35 mm, Swift Current 30 mm, Consul 37 mm and Gull Lake 25 mm.

Cropland topsoil moisture conditions are rated as four per cent surplus, 95 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as one per cent surplus, 92 per cent adequate and seven per cent short. Crop District 3BS is reporting that 17 per cent of cropland has surplus topsoil moisture.

Most crop damage this week is due to bleaching, sprouting and staining caused by prolonged wet conditions. Downgrading of the durum and wheat crops are mostly due to Fusarium head blight. Some farmers have finished harvest. Peas, flax and canola are yielding well.

East-Central Saskatchewan:

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Some crop was harvested earlier in the week, but harvest came to a halt when the weekend rain set in. Sixty-one per cent of the region's crop is in the bin, up from 53 per cent last week. The five-year average for this time of year is 71 per cent combined. Thirty-one per cent is swathed or ready to straight-cut. Crop District 5A has 54 per cent of the crop combined and 5B has 56 per cent in the bin. Crop District 6A is furthest advanced, with 71 per cent harvested. Most areas reported receiving more than 25 mm of rain. The Langenburg area reported 33 mm, Raymore 24 mm, Foam Lake 51 mm, Elfros 41 mm, Bethune 42 mm and Watrous 30 mm.

Topsoil moisture conditions on cropland are rated as 24 per cent surplus, 74 per cent adequate and two per cent short. Hay land and pasture topsoil moisture is rated as 11 per cent surplus, 87 per cent adequate and two per cent short. Crop District 5B is reporting that 36 per cent of cropland acres have excess topsoil moisture at this time.

The majority of crop damage this past week was caused by standing water from the heavy rain and wind that caused some canola swaths to blow around. Downgrading in durum and wheat is mostly due to fusarium. Field conditions in the Kelvington area are very wet and combines are getting stuck. Some crops are being taken off tough and put

into aeration bins or grain dryers. Producers are busy harvesting, hauling bales and controlling weeds.

West-Central Saskatchewan:

- Crop District 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston, Major
- Crop District 7B - Kerrobert, Macklin, Wilkie and Biggar areas

Combines were able to roll earlier in the week before the weekend rain set in. Sixty-five per cent of the 2016 crop is in the bin and 24 per cent is swathed or ready to straight-cut. The five-year average for this time of year is 81 per cent combined. Harvest is furthest ahead in Crop District 6B, where farmers have 73 per cent of the crop combined. Crop districts 7A and 7B have 65 and 56 per cent combined, respectively.

Rain was scattered throughout the region. Most areas had showers on Thursday and Friday, and major rain storms on Saturday. The areas around Outlook, Dinsmore, Perdue and Biggar received the majority of their rain on Friday, and so farmers there had a couple extra days of decent combining weather. The Outlook area reported 23 mm of rain, Sonningdale 9 mm, Netherhill 18 mm, Kindersley 6 mm, Biggar 13 mm and Landis 4 mm.

Topsoil moisture conditions on cropland are rated as 10 per cent surplus, 89 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 95 per cent adequate and two per cent short. Crop District 7A is reporting that 21 per cent of cropland has surplus topsoil moisture.

Very little crop damage was reported this week. Downgrades of cereals and some pulses are due to prolonged wet harvest weather. Downgrades of durum are mostly due to high fusarium levels. Crops are being combined tough and put into aeration bins. Some producers finished harvest before the weekend rain hit.

Northeastern Saskatchewan:

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Producers in the region had a few days of good harvest weather before the weekend rain rolled through. Sixty-five per cent of the crop is combined, up from 54 per cent last week. Twenty-eight per cent is in the swath or ready to straight-cut. The five-year average for this time of year is 75 per cent combined. Crop District 8A has 58 per cent of the crop combined, 8B has 71 per cent combined and 9AE has 89 per cent of the crop in the bin.

The majority of the rain was reported on Friday and Saturday, with most areas receiving more than 25 mm. The Nipawin area reported 33 mm, Tisdale 21 mm, Kinistino 31 mm, Humboldt 19 mm, Alvena 14 mm and Garrick 28 mm.

Cropland topsoil moisture conditions are rated as 24 per cent surplus and 76 per cent adequate. Hay land and pasture topsoil moisture is rated as 21 per cent surplus and 79 per cent adequate. Crop District 8A (around Tisdale, Arborfield and Porcupine Plain) is reporting that 49 per cent of cropland has surplus topsoil moisture at this time.

Most crop damage this past week is attributed to flooding from the heavy rain. Grade loss on account of wet harvest weather is also causing quality issues. Fields remain quite wet and equipment is getting stuck. Downgrades of wheat and durum are mostly due to fusarium. The quality and yield of the oat crop are quite good for the most part.

Northwestern Saskatchewan:

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

The northwest made the biggest jump in harvest progress of all the regions in the province last week. Sixty-four per cent of the crop is combined, up 16 per cent from last week. The five-year average for this time of year is 75 per cent harvested. Thirty-two per cent is in the swath or ready to straight-cut. Crop District 9AW has 73 per cent of the crop combined, while CD 9B has 56 per cent combined.

The region received rain, but in significantly smaller amounts than the rest of the province. The Duck Lake area reported 20 mm, Radisson 5 mm, Debden 14 mm, Neilburg 1 mm and Meadow Lake 9 mm.

Cropland topsoil moisture is rated as three per cent surplus, 91 per cent adequate and six per cent short. Hay land and pasture topsoil moisture is rated as 85 per cent adequate and 15 per cent short.

The wet weather during harvest has caused some staining in pea crops and bleaching in cereal crops. Some crops were combined tough last week and placed into aeration bins. Most producers are indicating that yields are above average, however, and fair to good quality. Producers are busy harvesting, controlling fall weeds and hauling bales.

Saskatchewan Harvest Progress - Sept 26, 2016



*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed

Winter Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	N/A	N/A	N/A	N/A	
provincial	0	0	0	100	
Fall Rye	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	0	0	0	100	
Spring Wheat	% Standing	% in swath	% ready to straight combine	% combined	
southeast	4	3	7	86	
southwest	6	1	26	67	
east central	9	12	17	62	
west central	13	9	31	47	
northeast	5	4	11	80	
northwest	5	7	26	62	
provincial	8	7	18	67	
Durum	% Standing	% in swath	% ready to straight combine	% combined	
southeast	10	3	10	77	
southwest	8	0	21	71	
east central	9	13	18	60	
west central	24	7	24	45	
northeast	1	6	7	86	
northwest	N/A	N/A	N/A	N/A	
provincial	11	3	18	68	
Barley	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed/silage)
southeast	2	2	6	88	2
southwest	1	1	5	89	4
east central	6	10	5	79	0
west central	11	6	19	63	1
northeast	3	3	5	87	2
northwest	2	13	12	72	1
provincial	6	7	8	79	1
Oats	% Standing	% in swath	% ready to straight combine	% combined	% other (greenfeed)
southeast	6	8	3	80	3
southwest	16	7	4	61	12
east central	18	30	16	36	0
west central	30	16	11	36	7
northeast	11	6	20	63	0
northwest	10	9	17	59	5
provincial	14	16	14	51	5
Canaryseed	% Standing	% in swath	% ready to straight combine	% combined	
southeast	25	3	34	38	
southwest	62	0	5	33	
east central	53	3	19	25	
west central	28	5	35	32	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	37	4	29	30	

Flax	% Standing	% in swath	% ready to straight combine	% combined	
southeast	43	10	22	25	
southwest	57	1	23	19	
east central	51	24	12	13	
west central	64	16	6	14	
northeast	58	17	10	15	
northwest	48	10	10	32	
provincial	50	13	17	20	
Canola	% Standing	% in swath	% ready to straight combine	% combined	
southeast	3	18	6	73	
southwest	8	15	8	69	
east central	3	35	7	55	
west central	4	20	10	66	
northeast	2	42	9	47	
northwest	2	29	11	58	
provincial	3	27	9	61	
Mustard	% Standing	% in swath	% ready to straight combine	% combined	
southeast	5	1	18	76	
southwest	5	2	14	79	
east central	5	1	44	50	
west central	20	12	25	43	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	8	4	17	71	
Soybeans	% Standing	% in swath	% ready to straight combine	% combined	
southeast	48	0	19	33	
southwest	N/A	N/A	N/A	N/A	
east central	72	0	24	4	
west central	43	0	20	37	
northeast	68	0	20	12	
northwest	N/A	N/A	N/A	N/A	
provincial	52	0	20	28	
Field Peas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	0	0	1	99	
southwest	0	1	1	98	
east central	0	0	1	99	
west central	1	0	2	97	
northeast	2	0	0	98	
northwest	0	0	1	99	
provincial	1	0	2	97	
Lentils	% Standing	% in swath	% ready to straight combine	% combined	%Other (feed)
southeast	2	0	4	93	1
southwest	2	0	3	95	0
east central	0	0	0	92	8
west central	5	0	7	88	0
northeast	0	0	1	99	0
northwest	N/A	N/A	N/A	N/A	N/A
provincial	2	0	4	93	1
Chickpeas	% Standing	% in swath	% ready to straight combine	% combined	
southeast	N/A	N/A	N/A	N/A	
southwest	N/A	N/A	N/A	N/A	
east central	N/A	N/A	N/A	N/A	
west central	N/A	N/A	N/A	N/A	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
provincial	N/A	N/A	N/A	N/A	

Crop Districts and Rural Municipalities in Saskatchewan

- Regional Service Office
- Regional Satellite Office
- Crop District
- Rural Municipality



Projection: UTM Zone 13 Datum: NAD83




Data Source:
Crop Districts - Saskatchewan Ministry of Agriculture


Geomatic Services, Ministry of Agriculture June 10, 2014

Weekly Rainfall

from September 20 to September 26, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Projection: UTM Zone 13 Datum: NAD83



Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture September 28, 2016

Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period September 20 to 26, 2016


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	56	443	4A	49	White Valley	N/A	335	7A	287	St. Andrews	12	470
	3	Enniskillen	40	391		51	Reno	37.1	282		288	Pleasant Valley	3	351
	33	Moose Creek	N/A	239		79	Arlington	N/A	375		290 A	Kindersley	18	352
	34	Browning	26	429		109 A	Carmichael	N/A	301		290 B	Kindersley	13	379
	61	Antler	N/A	282		109 B	Carmichael	N/A	216		290 C	Kindersley	N/A	320
	64	Brock	28	311		110	Piapot	N/A	381		292	Milton	10	513
1B	65	Tecumseh	23	301	111	Maple Creek	N/A	270	317 A	Marriott	N/A	473		
	91	Maryfield	26	492	4B	139	Gull Lake	25	440	317 B	Marriott	12	309	
	122	Martin	63	470	142	Enterprise	N/A	108	318	Mountain View	N/A	449		
	123	Silverwood	27	359	169	Pittville	N/A	401	320 A	Oakdale	6	325		
	124 A	Kingsley	26	359	231	Happyland	20	522	320 B	Oakdale	7	389		
	124 B	Kingsley	N/A	N/A	5A	183	Fertile Belt	N/A	429	321	Prairiedale	9	473	
2A	125 A	Chester	24	470	211	Churchbridge	33	396	7B	347	Biggar	13	329	
	125 B	Chester	32	398	213	Saltcoats	23	279		350 A	Mariposa	10	479	
	151	Rocanville	34	431	241	Calder	N/A	331		350 B	Mariposa	5	266	
	154	Elcapo	28	333	243	Wallace	14	367		351	Progress	8	408	
	155	Wolseley	24	410	244	Orkney	25	328		352	Heart's Hill	12	447	
	67	Weyburn	28	308	245 A	Garry	22	443		377	Glenside	N/A	290	
2B	68	Brokenshell	27	388	245 B	Garry	18	317	378	Rosemount	10	399		
	97	Wellington	23.5	346	245 C	Garry	N/A	268	379	Reford	4	357		
	127 A	Francis	25	307	246	Ituna Bon Accord	26	304	381	Grass Lake	N/A	257		
	127 B	Francis	32.5	288	247	Kellross	28	338	382	Eye Hill	10	418		
	129	Bratt's Lake	31	344	248	Touchwood	24	350	409	Buffalo	N/A	125		
	131 A	Baildon	34	426	5B	271	Cote	28	392	410	Round Valley	7.5	319	
3ASE	131 B	Baildon	NIL	461	273	Sliding Hills	22	356	8A	395	Porcupine	34	554	
	156 A	Indian Head	20.7	339	277	Emerald	51	410		397	Barrier Valley	20.8	386	
	156 B	Indian Head	25	414	305	Invermay	16	389		428	Star City	N/A	403	
	159	Sherwood	27	397	307	Elfros	41	499		456	Arborfield	23	528	
	160	Pense	34	345	308 A	Big Quill	22	400		457	Connaught	27	482	
	161	Moose Jaw	32	405	308 B	Big Quill	23	329		486	Moose Range	24	446	
3ASW	162	Caron	26	416	331	Livingston	32	479	487	Nipawin	33	518		
	191	Marquis	25	406	336	Sasman	28	351	8B	369	St. Peter	19	236	
	38 A	Laurier	25.7	429	337	Lakeview	36	449		370 A	Humboldt	25	367	
	38 B	Laurier	25	353	338	Lakeside	29	395		370 B	Humboldt	N/A	261	
	39	The Gap	30	431	366	Kelvington	33	521		371	Bayne	27	388	
	10	Happy Valley	34	384	367	Ponass Lake	N/A	420		372	Grant	15	239	
12	Poplar Valley	N/A	320	6A	190 A	Dufferin	40	542		400	Three Lakes	28	366	
3AN	40	Bengough	30	330	190 B	Dufferin	42	488	402	Fish Creek	14	345		
	42	Willow Bunch	25	390	190 C	Dufferin	34	362	429	Flett's Springs	30	280		
	43	Old Post	31	357	190 D	Dufferin	30	310	459	Kinistino	31	336		
	73 A	Stonehenge	38.1	438	219 A	Longlaketon	N/A	403	460	Birch Hills	20	264		
	73 B	Stonehenge	N/A	426	219 B	Longlaketon	N/A	375	488	Torch River	28	383		
	102	Lake Johnston	32	315	220	McKillop	25	366	9AE	520	Paddockwood	N/A	188	
103	Sutton	32	364	221 A	Sarnia	28.8	378	521		Lakeland	N/A	188		
132 A	Hillsborough	22	418	221 B	Sarnia	35.5	349	9AW		406	Mayfield	5	245	
132 B	Hillsborough	28	492	222	Craik	22	406			435	Redberry	10	285	
134	Shamrock	N/A	17	251	Big Arm	25	299			436	Douglas	10	158	
193 A	Eyebrow	19	383	252	Arm River	27	324			463	Duck Lake	20	264	
193 B	Eyebrow	N/A	385	279	Mount Hope	N/A	324		467 A	Round Hill	10	357		
17	Val Marie	N/A	314	282	McCraney	28	404		467 B	Round Hill	9	321		
3BS	18	Lone Tree	N/A	403	312	Morris	30	470	494	Canwood	14	266		
	75	Pinto Creek	28	431	313	Lost River	N/A	251	438	Battle River	2	300		
	76	Auvergne	25	332	339	Leroy	24	332	440	Hillsdale	1	193		
	77	Wise Creek	35	421	340	Wolverine	25	358	442	Manitou Lake	1.8	298		
	78	Grassy Creek	33	346	341	Viscount	N/A	225	498 A	Parkdale	3	306		
	105	Glenbain	27	434	343 A	Blucher	N/A	234	498 B	Parkdale	5	81		
3BN	106	Whiska Creek	33	418	343 B	Blucher	N/A	256	499 A	Mervin	1.3	316		
	107	Lac Pelletier	N/A	402	6B	223 A	Huron	N/A	342	499 B	Mervin	N/A	N/A	
	108	Bone Creek	34	432	223 B	Huron	20	392	501 A	Frenchman Butte	NIL	317		
	138 A	Webb	30	559	284 A	Rudy	15	417	501 B	Frenchman Butte	NIL	273		
	138 B	Webb	N/A	417	285 B	Rudy	23	449	501 C	Frenchman Butte	NIL	414		
	166	Excelsior	19	472	285 A	Fertile Valley	22	472	502	Britannia	N/A	269		
3BN	167	Sask. Landing	23	490	285 B	Fertile Valley	N/A	428	561	Loon Lake	NIL	316		
	168 A	Riverside	29	495	286	Mildern	N/A	414	588 A	Meadow Lake	9	363		
	168 B	Riverside	22	384	314	Dundurn	21	376	588 B	Meadow Lake	2	218		
	226	Victory	N/A	346	344	Corman Park	18	293	622	Beaver River	N/A	300		
	228	Lacadena	18	466	346	Perdue	14	384						
	257	Monet	13	590	376	Eagle Creek	9	323						
				403	Rosthern	18	261							

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B, C and D - more than one reporter

Cumulative Rainfall


from April 1 to September 26, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Cropland Topsoil Moisture Conditions

September 26, 2016




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Hay and Pasture Topsoil Moisture Conditions


September 26, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Minimum Temperature

from September 20 to September 26, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.