

## For the Period September 27 to October 3, 2016

Producers were able to get back into the field for a few days and make some harvest progress in between the weekend rains. Eighty per cent of the 2016 crop has been combined and 14 per cent is swathed or ready to straight-cut, according to Saskatchewan Agriculture's weekly Crop Report. The five-year (2011-2015) average for this time of year is 86 per cent combined.

Regionally, harvest is furthest advanced in the southeast, where producers have 88 per cent of the crop in the bin. Eighty-one per cent of the crop is combined in the southwest, 77 per cent in the east-central region, 73 per cent in the west-central and 78 per cent is combined in the northwestern and northeastern regions.

Ninety-five per cent of the lentils, 74 per cent of the durum, 79 per cent of the spring wheat, 77 per cent of the canola and 43 per cent of the flax have been combined.

Rain set in on the weekend and was fairly general throughout the province, with areas in west-central and northwestern regions receiving less than other regions. Significant precipitation over the past two weeks in many areas has slowed harvest progress. The largest amount of rainfall (91 mm) was reported in the Hazenmore area. The

Harvest Progress in SK Per cent Combined All Crops	
Oct 3/16	80
5 year avg. (2011-2015)	<b>86</b>
Oct 5/15	84
Oct 6/14	72
Sept 30/13	79
Oct 1/12	97
Oct 3/11	98
10 year avg. (2006-2015)	<b>84</b>

Redvers and Tantallon areas reported receiving 76 mm, Carnduff reported 60 mm, Broadview 57 mm, Moose Jaw 60 mm, Limerick 56 mm, Climax and Shaunavon 70 mm, Langenburg 38 mm, Dinsmore 34 mm and Biggar 41 mm. Snow was falling in most areas of the province at the time of writing this report.

Spring wheat grades are below the 10-year average and are being reported as 10 per cent 1 CW, 50 per cent 2 CW, 28 per cent 3 CW and 12 per cent CW feed.

### One year ago

Wet and cool weather slowed harvest progress. Crop yields were average for most crops. Hard red spring wheat grades were 27 per cent 1CW, 41 per cent 2CW, 23 per cent 3CW and nine per cent CW feed.

Follow the Crop Report on Twitter @SKAgriculture

### Saskatchewan Harvest October 3, 2016 % combined

Winter wheat	100
Fall rye*	100
Spring wheat	79
Durum	74
Oats*	75
Barley**	86
Canaryseed	41
Flax	43
Canola	77
Mustard	76
Soybeans	59
Lentils**	95
Peas	99
Chickpeas	N/A
*includes five per cent 'other'	
**includes one per cent 'other'	

For further information, contact Daphne Cruise, PAg,  
Crop Management Specialist, Moose Jaw, Regional Services Branch,  
Toll Free: 1-866-457-2377 or 306-694-3587, E-mail: [cropreport@gov.sk.ca](mailto:cropreport@gov.sk.ca).  
Also available on the Ministry of Agriculture website at [www.saskatchewan.ca/crop-report](http://www.saskatchewan.ca/crop-report).



Yield estimates have not changed much from one month ago and remain average to above average for most crops. Winter wheat, oat, canola and soybean yield estimates have increased slightly, while mustard and chickpea yields have decreased slightly.

Provincially, cropland topsoil moisture is rated as 27 per cent surplus and 73 per cent adequate. Hay land and pasture topsoil moisture is rated as 17 per cent surplus, 79 per cent adequate and four per cent short. Many regions in the province are indicating that more than half of cropland has surplus topsoil moisture.

Strong winds and flooding caused the majority of the crop damage, which has resulted in crop yield and quality loss. Bleaching, sprouting and fusarium are causing grade loss.

Producers are busy harvesting, hauling bales and controlling weeds.

Provincial Estimated Crop Yields - October 3, 2016								
	Winter wheat	Fall rye	HRSW	Other wheat*	Durum	Oat	Barley	Canary seed
Southeast	58	46	48	52	50	87	68	1400
Southwest	48	42	43	49	45	84	70	1000
East Central	54	46	42	50	42	86	68	1400
West Central	57	38	47	61	43	67	67	1100
Northeast	35	40	39	30	N/A	68	68	950
Northwest	50	45	48	54	N/A	91	76	N/A
<b>Provincial</b>	<b>56</b>	<b>44</b>	<b>44</b>	<b>50</b>	<b>46</b>	<b>87</b>	<b>69</b>	<b>1200</b>
	Flax	Canola	Mustard	Soybean	Pea	Lentil **	Chick pea	
Southeast	27	39	1100	32	41	1400	1500	
Southwest	26	38	1200	34	38	1400	1300	
East Central	24	37	1000	31	38	900	1200	
West Central	32	44	1300	35	47	1000	1000	
Northeast	28	35	1000	N/A	37	950	N/A	
Northwest	N/A	44	N/A	N/A	46	N/A	N/A	
<b>Provincial</b>	<b>27</b>	<b>39</b>	<b>1200</b>	<b>32</b>	<b>41</b>	<b>1200</b>	<b>1300</b>	

**Southeastern Saskatchewan:**

- Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas
- Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas
- Crop District 3ASE – Radville and Lake Alma areas

Farmers were able to get back in the field for a couple of days in between the weekend rains. Eighty-eight per cent of the crop is combined, up from 77 per cent last week. Eight per cent is swathed or ready to straight-cut. The five-year average for the region is 86 per cent combined. Crop districts 1A, 1B and 2A have 93 per cent in the bin, 2B 80 per cent and 3ASE has 98 per cent of the crop combined. Eighty-six per cent of the canola and 53 per cent of the flax have been combined.

Significant rain fell in the region starting on Saturday, and cloudy conditions are expected to last for most of the week. Rainfall ranged from 10 to 77 mm. The Tantallon and Redvers areas reported 77 mm, Carnduff and Moose Jaw 60 mm, Broadview 57 mm, Weyburn 25 mm and Ceylon 32 mm. Snow was being reported in most of the region at the time of writing this report.

Grades for spring wheat are estimated as 17 per cent 1 CW, 42 per cent 2 CW, 37 per cent 3 CW and four per cent CW Feed. The majority of downgrading is due to fusarium and bleached kernels. Yield predictions from last month have not changed much and are expected to be average to above average for most crops. There is a slight increase in canola and soybean yield estimates compared to one month ago.

Cropland topsoil moisture is rated as 49 per cent surplus, 48 per cent adequate and three per cent short. Hay land and pasture topsoil moisture is rated as 19 per cent surplus, 75 per cent adequate and six per cent short. With the moisture that has been received lately, it will be several days before combines are back in the field again.

Crop damage is mainly attributed to weathering due to too much moisture. Disease, strong winds and lodging are also causing damage this week. Heavy rain left crops in some areas standing in water. With the recent moisture, fall weed control may not get completed. Although many producers have finished harvest in the region, others are needing a week of good weather to finish.

**Southwestern Saskatchewan:**

- Crop District 3ASW – Coronach, Assiniboia and Ogema areas
- Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas
- Crop District 3B – Kyle, Swift Current, Shaunavon and Ponteix areas
- Crop District 4 – Consul, Maple Creek and Leader areas

Rain over two weeks has interrupted harvest throughout the region. Some producers were able to get back in the field for a couple of days in between the weekend rain, however most of those crops were combined on the tough side. Eighty-one per cent of the 2016 crop has been combined. The five-year average for the region this time of year is 91 per cent combined. Ten per cent of the crop is swathed or ready to straight-cut. Crop District 3ASW is reporting 68 per cent of the crop is in the bin, 3AN has 84 per cent combined, 3BS has 81 per cent combined, 3BN 87 per cent and 4A and 4B have 86 per cent

combined. Seventy-three per cent of the spring wheat and durum, 82 per cent of the canola and 37 per cent of the flax have been combined.

Rain started on Saturday and has continued throughout the week. Rainfall ranged from trace amounts to 91 mm. Most areas reported more than 25 mm of rain. The Limerick area reported 56 mm, Mossbank 30 mm, Hazenmore 91 mm, Climax and Shaunavon 70 mm, Swift Current 39 mm, Maple Creek 20 mm and Gull Lake 7 mm. Significant snow accumulation was being reported at the time of writing this report.

Grades for spring wheat are predicted as 17 per cent 1 CW, 42 per cent 2 CW, 36 per cent 3 CW and five per cent CW Feed. Estimated average yields have not changed much from one month ago and are average to above average.

Recent rain has resulted in some producers having to navigate through the fields carefully in order to not get stuck. Cropland topsoil moisture conditions are rated as 25 per cent surplus, 74 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as 22 per cent surplus, 76 per cent adequate and two per cent short. Crop District 3ASW is reporting that 50 per cent of cropland has surplus topsoil moisture.

Most crop damage this week is due to flooding and wind causing yield and quality loss. Bleaching, sprouting and staining are also quality issues due to prolonged wet conditions. Downgrades of the durum and wheat crop are mostly due to Fusarium head blight. Chickpeas have been very slow to dry down and there has been some crop regrowth complicating harvest. Some farmers have finished harvest.

#### **East-Central Saskatchewan:**

- Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas
- Crop District 6A – Lumsden, Craik, Watrous and Clavet areas

Despite the rain, producers made decent harvest progress over last week before the rain set in again on the weekend. Seventy-seven of the crop is in the bin in the region, up from 61 per cent last week. The five-year average for this time of year is 79 per cent combined. Eighteen per cent is swathed or ready to straight-cut. Much of the crop was combined tough this week and put into either aeration bins or grain dryers. Crop District 5A has 79 per cent combined, 5B 68 per cent and Crop District 6A is furthest advanced with 84 per cent harvested. Eighty per cent of the spring wheat, 85 per cent of the barley, 72 per cent of the canola and 35 per cent of the flax have been combined.

The rain started on Sunday in most areas, and has continued into the week, with snow being reported at the time of writing this report. Rainfall ranged from trace amounts to 38 mm. The Langenburg area reported receiving 38 mm, the Kelliher area 12 mm, Elfros 28 mm, Kelvington 9 mm, Earl Grey 26 mm and Kenaston 5 mm.

Spring wheat grades are being reported as eight per cent 1 CW, 49 per cent 2 CW, 31 per cent 3 CW and 12 per cent CW Feed. Yield estimates have not changed much compared to one month ago and are above average for most crops.

Topsoil moisture conditions on cropland are rated as 28 per cent surplus and 72 per cent adequate. Hay land and pasture topsoil moisture is rated as 22 per cent surplus and 78 per cent adequate. Crop District 5B is reporting 39 per cent of cropland has excess topsoil moisture at this time.

The majority of crop damage this past week was caused by standing water from the heavy rain and wind that caused some standing canola, as well as swaths, to blow around and shell out. Downgrades in durum and wheat are mostly due to fusarium. Field conditions in Crop District 5A are saturated and several days of dry weather are needed before the ground can support equipment. Some crops are being taken off tough and damp and put into aeration bins or grain dryers.

Producers are busy with harvest, hauling bales and completing some fall weed control.

#### **West-Central Saskatchewan:**

- Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas
- Crop District 7A – Rosetown, Kindersley, Eston, Major
- Crop District 7B - Kerrobert, Macklin, Wilkie and Biggar areas

Rain showers off and on during the week caused harvest delays, although some producers were able to back into the fields and take advantage of a couple of days of decent harvest weather. Seventy-three per cent of the crop is now in the bin, up from 65 per cent last week. Sixteen per cent is swathed or ready to straight-cut. The five-year average for this time of year is 89 per cent combined. Crop District 6B is furthest ahead with 88 per cent combined, while CDs 7A and 7B have 62 and 69 per cent combined, respectively. Sixty per cent of the spring wheat, 45 per cent of the durum, 78 per cent of the canola and 22 per cent of the flax are in the bin.

Rain fell off and on throughout the week in the region, with the majority falling on the weekend. Snow is being reported at the time of writing this report. Rain fall ranged from trace amounts to 42 mm. The Dinsmore area reported 34 mm, Rosthern 10 mm, Biggar 27 mm, Marengo and Kerrobert 4 mm and Sonningdale 42 mm.

Spring wheat grades are reported as three per cent 1 CW, 51 per cent 2 CW, 29 per cent 3 CW and 17 per cent CW Feed. Most of the downgrading is caused by fusarium and weathering due to prolonged wet conditions at harvest. Yield estimates have remained relatively the same as one month ago and are above average for most crops.

Topsoil moisture conditions on cropland are rated as 15 per cent surplus and 85 per cent adequate. Hay land and pasture topsoil moisture is rated as six per cent surplus and 94 per cent adequate.

Crop damage this week was caused by wind, which blew around standing and swathed canola, causing shattering losses. Downgrades of wheat, durum and some pulses are due to fusarium and prolonged wet harvest weather. Crops are being put into aeration bins as some are being combined tough. Some producers finished harvest before the weekend rain.

**Northeastern Saskatchewan:**

- Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas
- Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas

Producers in the region were able to cover some ground and get a few more acres in the bin before the weekend rain rolled through yet again. Seventy-eight per cent of the crop is combined, up from 65 per cent last week. Twenty-one per cent is swathed or ready to straight-cut. The five-year average for this time of year is 84 per cent combined. Crop District 8A has 66 per cent of the crop combined, 8B has 86 per cent combined and 9AE has 93 per cent of the crop in the bin. Eighty-three per cent of the wheat, 77 per cent of the oats and 73 per cent of the canola are in the bin.

It was a cloudy and damp week for some areas in the region, particularly around Nipawin, Tisdale and Porcupine Plain. Most of the crop that was harvested was tough and so had to be put into aeration bins or grain dryers. Spotty showers throughout the week made for slow progress in the area. Rainfall ranged from nil to 24 mm. The Porcupine Plain area recorded 24 mm, the Vonda area 4 mm and Garrick 2 mm. Snow is falling at the time of writing this report.

Grades of spring wheat are estimated as seven per cent 1 CW, 43 per cent 2 CW, 31 per cent 3 CW and 19 per cent CW Feed. Average yield estimates for most crops have decreased slightly over the past month.

Cropland topsoil moisture conditions are rated as 30 per cent surplus and 70 per cent adequate. Hay land and pasture topsoil moisture is rated as 25 per cent surplus and 75 per cent adequate. Crop District 8A (around Tisdale, Arborfield and Porcupine Plain) is reporting that 67 per cent of cropland has surplus topsoil moisture at this time.

Most crop damage this past week is attributed to the heavy rain. Wet harvest weather is causing quality issues and grade loss. Field conditions remain quite wet and equipment is getting stuck. Downgrades of wheat and durum are mostly due to fusarium, bleaching and sprouting. The oat crop quality and yield are quite good for the most part. Farmers are busy harvesting when they can, hauling bales and completing some fall weed control.

**Northwestern Saskatchewan:**

- Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas
- Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas

The northwest had some decent weather and made good progress with harvest. Seventy-eight per cent of the crop is in the bin, up from 64 per cent last week. Although rain did slow things down for a couple of days, the region did not receive as much rain as the rest of the province. The five-year average for this time of year is 87 per cent harvested. Eighteen per cent is swathed or ready to straight-cut. Crop District 9AW has 84 per cent combined while 9B has 73 per cent combined. Seventy-three per cent of the canola and 79 per cent of the wheat is in the bin.

The majority of the rain fell on the weekend. Rainfall ranged from one to 38 mm. The Speers area reported 38 mm, Rabbit Lake 11 mm, Meadow Lake 14 mm, Frenchman Butte and Barthel 5 mm. Snow is being reported at the time of writing this report.

Grades for spring wheat are estimated at 22 per cent 1 CW, 62 per cent 2 CW, 2 per cent 3 CW and four per cent CW Feed. Yield estimates for most crops in the region have increased slightly over predictions one month ago.

Cropland topsoil moisture is rated as 18 per cent surplus, 80 per cent adequate and two per cent short. Hayland and pasture topsoil moisture is rated as eight per cent surplus, 78 per cent adequate and 14 per cent short.

Most combines were able to keep rolling for most of the week. Most of the crops were harvested dry, although some were taken off tough and put into aeration bins. There are a few reports of producers running out of bin space. Most producers have indicated that yields are above average and fair to good quality.

Producers are busy with harvest, fall weed control and bale hauling.

### Saskatchewan Harvest Progress - October 3, 2016



\*Other - crop that will not be harvested due to weather, insect or disease damage or will be greenfeed

<b>Winter Wheat</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	0	0	0	100	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100</b>	
<b>Fall Rye</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	0	0	0	100	
southwest	0	0	0	100	
east central	0	0	0	100	
west central	0	0	0	100	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100</b>	
<b>Spring Wheat</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	2	1	5	92	
southwest	5	2	21	72	
east central	5	7	8	80	
west central	12	5	23	60	
northeast	1	6	10	83	
northwest	4	4	13	79	
<b>provincial</b>	<b>5</b>	<b>5</b>	<b>11</b>	<b>79</b>	
<b>Durum</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	5	0	6	89	
southwest	12	1	14	73	
east central	2	11	9	78	
west central	21	7	22	50	
northeast	0	5	5	90	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>10</b>	<b>2</b>	<b>14</b>	<b>74</b>	
<b>Barley</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other (greenfeed/silage)</b>
southeast	0	0	4	94	2
southwest	0	0	3	92	5
east central	4	8	4	84	0
west central	9	3	12	75	1
northeast	0	0	5	93	2
northwest	2	5	11	81	1
<b>provincial</b>	<b>4</b>	<b>4</b>	<b>6</b>	<b>86</b>	<b>1</b>
<b>Oats</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>% other (greenfeed)</b>
southeast	4	3	2	88	3
southwest	10	3	14	65	8
east central	8	20	4	68	0
west central	22	9	6	55	8
northeast	2	3	19	76	0
northwest	4	4	11	68	13
<b>provincial</b>	<b>7</b>	<b>9</b>	<b>8</b>	<b>72</b>	<b>4</b>
<b>Canaryseed</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	21	0	25	54	
southwest	42	5	17	36	
east central	47	4	19	30	
west central	25	0	24	51	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>30</b>	<b>4</b>	<b>25</b>	<b>41</b>	

<b>Flax</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	21	5	21	53	
southwest	49	0	14	37	
east central	28	14	22	36	
west central	51	11	16	22	
northeast	N/A	N/A	N/A	N/A	
northwest	10	13	10	67	
<b>provincial</b>	<b>28</b>	<b>8</b>	<b>21</b>	<b>43</b>	
<b>Canola</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	2	7	5	86	
southwest	7	8	4	81	
east central	3	19	5	73	
west central	4	15	4	77	
northeast	0	22	5	73	
northwest	2	21	3	74	
<b>provincial</b>	<b>3</b>	<b>16</b>	<b>4</b>	<b>77</b>	
<b>Mustard</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	0	0	3	97	
southwest	4	3	13	80	
east central	0	0	20	80	
west central	20	0	24	56	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>9</b>	<b>2</b>	<b>13</b>	<b>76</b>	
<b>Soybeans</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	13	0	17	70	
southwest	N/A	N/A	N/A	N/A	
east central	28	0	51	21	
west central	23	0	2	75	
northeast	0	0	40	60	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>17</b>	<b>0</b>	<b>25</b>	<b>58</b>	
<b>Field Peas</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	0	0	1	99	
southwest	0	0	1	99	
east central	0	0	1	99	
west central	0	0	1	99	
northeast	0	0	1	99	
northwest	0	0	1	99	
<b>provincial</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>99</b>	
<b>Lentils</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	<b>%Other (feed)</b>
southeast	1	0	1	96	2
southwest	1	0	3	96	0
east central	0	0	0	98	2
west central	0	0	1	99	0
northeast	0	0	1	99	0
northwest	N/A	N/A	N/A	N/A	N/A
<b>provincial</b>	<b>2</b>	<b>0</b>	<b>2</b>	<b>95</b>	<b>1</b>
<b>Chickpeas</b>	<b>% Standing</b>	<b>% in swath</b>	<b>% ready to straight combine</b>	<b>% combined</b>	
southeast	N/A	N/A	N/A	N/A	
southwest	N/A	N/A	N/A	N/A	
east central	N/A	N/A	N/A	N/A	
west central	N/A	N/A	N/A	N/A	
northeast	N/A	N/A	N/A	N/A	
northwest	N/A	N/A	N/A	N/A	
<b>provincial</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>	

# Crop Districts and Rural Municipalities in Saskatchewan

- Regional Service Office
- Regional Satellite Office
- Crop District
- Rural Municipality




Data Source:  
Crop Districts - Saskatchewan Ministry of Agriculture

Geomatic Services, Ministry of Agriculture June 10, 2014

# Weekly Rainfall

from September 27 to October 3, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



# Weekly Rainfall Summary

(in millimeters)

1 inch = 25 mm

for the period Sept 27 to Oct 3, 2016


Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	60	503	4A	49	White Valley	19.5	408	7A	287	St. Andrews	13	483
	3	Enniskillen	51	442		51	Reno	N/A	282		288	Pleasant Valley	14	365
	33	Moose Creek	N/A	239		79	Arlington	N/A	375		290 A	Kindersley	8.5	361
	34	Browning	50	479		109 A	Carmichael	N/A	301		290 B	Kindersley	N/A	379
	61	Antler	76	458		109 B	Carmichael	N/A	216		290 C	Kindersley	N/A	320
	64	Brock	42	353		110	Piapot	N/A	381		292	Milton	4	517
1B	65	Tecumseh	32	333	111	Maple Creek	20	297	317 A	Marriott	N/A	473		
	91	Maryfield	31	430	4B	139	Gull Lake	7	447	317 B	Marriott	12	321	
	122	Martin	43	513	142	Enterprise	N/A	108	318	Mountain View	27	484		
	123	Silverwood	52	411	169	Pittville	N/A	401	320 A	Oakdale	3	328		
	124 A	Kingsley	43	402	231	Happyland	NIL	522	320 B	Oakdale	2	391		
	124 B	Kingsley	N/A	N/A	5A	183	Fertile Belt	30	465	321	Prairie Dale	NIL	473	
	125 A	Chester	15	485	211	Churchbridge	38	434	7B	347	Biggar	41	370	
	125 B	Chester	36	434	213	Saltcoats	35	314	350 A	Mariposa	3	482		
	151	Rocanville	77	508	241	Calder	35	399	350 B	Mariposa	4	270		
	154	Elcapo	57	390	243	Wallace	NIL	367	351	Progress	1	409		
2A	155	Wolseley	20	430	244	Orkney	N/A	328	352	Heart's Hill	3	450		
	67	Weyburn	20	328	245 A	Garry	7	450	377	Glenside	42	342		
	68	Brokenshell	25	413	245 B	Garry	7	324	378	Rosemount	N/A	399		
2B	97	Wellington	17	363	245 C	Garry	8	294	379	Reford	4	361		
	127 A	Francis	26.5	333	246	Ituna Bon Accord	8	312	381	Grass Lake	1	266		
	127 B	Francis	25.4	313	247	Kellross	12	350	382	Eye Hill	7.5	426		
	129	Bratt's Lake	10	354	248	Touchwood	4	354	409	Buffalo	N/A	125		
	131 A	Baildon	10	436	5B	271	Cote	14	406	410	Round Valley	NIL	319	
	131 B	Baildon	30	496	273	Sliding Hills	20	376	8A	395	Porcupine	24	578	
	156 A	Indian Head	11.4	350	277	Emerald	1	411	397	Barrier Valley	8.2	394		
	156 B	Indian Head	18	432	305	Invermay	16	405	428	Star City	N/A	403		
	159	Sherwood	N/A	397	307	Elfros	28	527	456	Arborfield	2	530		
	160	Pense	N/A	345	308 A	Big Quill	5	405	457	Connaught	NIL	482		
3ASE	161	Moose Jaw	60	465	308 B	Big Quill	23	352	486	Moose Range	NIL	446		
	162	Caron	NIL	416	331	Livingston	9	488	487	Nipawin	N/A	518		
	191	Marquis	N/A	406	336	Sasman	20	371	8B	369	St. Peter	N/A	236	
	38 A	Laurier	24.1	453	337	Lakeview	4	453	370 A	Humboldt	NIL	367		
	38 B	Laurier	25	378	338	Lakeside	1	396	370 B	Humboldt	N/A	261		
	39	The Gap	32	463	366	Kelvington	9	530	371	Bayne	3	391		
	3ASW	10	Happy Valley	N/A	384	367	Ponass Lake	N/A	420	372	Grant	4.3	243	
		12	Poplar Valley	NIL	346	6A	190 A	Dufferin	NIL	542	400	Three Lakes	N/A	366
		40	Bengough	NIL	330	190 B	Dufferin	16	504	402	Fish Creek	3	348	
		42	Willow Bunch	N/A	390	190 C	Dufferin	NIL	362	429	Flett's Springs	1	281	
3AN	43	Old Post	13	370	190 D	Dufferin	3	313	459	Kinistino	2	338		
	73 A	Stonehenge	55.9	494	219 A	Longlaketon	26	459	460	Birch Hills	NIL	264		
	73 B	Stonehenge	N/A	426	219 B	Longlaketon	5	380	9AE	488	Torch River	2	385	
	102	Lake Johnston	30	345	220	McKillop	10	376	520	Paddockwood	N/A	188		
	103	Sutton	NIL	364	221 A	Sarnia	23	401	521	Lakeland	N/A	188		
	132 A	Hillsborough	20	438	221 B	Sarnia	N/A	349	9AW	406	Mayfield	N/A	245	
	132 B	Hillsborough	10	502	222	Craik	5	411	435	Redberry	18	303		
	134	Shamrock	N/A	17	251	Big Arm	7.5	307	436	Douglas	38	196		
	193 A	Eyebrow	14	397	252	Arm River	N/A	324	463	Duck Lake	6	270		
	193 B	Eyebrow	N/A	385	279	Mount Hope	9	333	467 A	Round Hill	14	371		
3BS	17	Val Marie	46	444	282	McCraney	NIL	404	467 B	Round Hill	11	332		
	18	Lone Tree	70	473	312	Morris	5	475	494	Canwood	N/A	266		
	75	Pinto Creek	91	522	313	Lost River	N/A	251	9B	438	Battle River	12	312	
	76	Auvergne	51	383	339	Leroy	3.2	336	440	Hillsdale	2	195		
	77	Wise Creek	21	442	340	Wolverine	2	360	442	Manitou Lake	2.8	300		
	78	Grassy Creek	34	380	341	Viscount	N/A	225	498 A	Parkdale	2	308		
	105	Glenbain	54	488	343 A	Blucher	N/A	234	498 B	Parkdale	N/A	81		
	106	Whiska Creek	58	476	343 B	Blucher	NIL	272	499 A	Mervin	4.5	320		
	107	Lac Pelletier	N/A	402	6B	223 A	Huron	2	360	499 B	Mervin	N/A	N/A	
	108	Bone Creek	70	502	223 B	Huron	NIL	392	501 A	Frenchman Butte	4	321		
3BN	138 A	Webb	22	581	284 A	Rudy	1	418	501 B	Frenchman Butte	1	274		
	138 B	Webb	N/A	417	285 B	Rudy	NIL	449	501 C	Frenchman Butte	5	419		
	166	Excelsior	11	483	285 A	Fertile Valley	8	480	502	Britannia	N/A	269		
	167	Sask. Landing	14.8	505	285 B	Fertile Valley	2	430	561	Loon Lake	5	321		
	168 A	Riverside	39	534	286	Mildern	34	448	588 A	Meadow Lake	7	370		
	168 B	Riverside	1	385	314	Dundurn	NIL	376	588 B	Meadow Lake	7	225		
	226	Victory	N/A	346	344	Corman Park	4	297	622	Beaver River	14	325		
	228	Lacadena	3	469	346	Perdue	15	399						
	257	Monet	18	608	376	Eagle Creek	21	344						
					403	Rosthern	10	271						

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B, C and D - more than one reporter

# Cumulative Rainfall


from April 1 to October 3, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Cropland Topsoil Moisture Conditions


October 3, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Hay and Pasture Topsoil Moisture Conditions


## October 3, 2016




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

# Minimum Temperature

from September 27 to October 3, 2016




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Data Sources:  
 Temperature data - Saskatchewan Ministry of Environment (Wildfire Management Branch) and Environment Canada.  
 Temperature data compiled and quality controlled by Agriculture and Agri-Food Canada  
 IDW interpolation (power 3.5, fixed radius 300 km)  
 Geomatics Services, Ministry of Agriculture October 5, 2016

# Maximum Temperature

from September 27 to October 3, 2016



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.